

Test Report No. CANEC2215692514 Date: 10 Jan 2023 Page 1 of 11

Client Name: Jiangsu JieJie Microelectronics Co., Ltd

Client Address: 3000 Qiantangjiang Road, Economic Development Zone, Qidong, Jiangsu, China

Sample Name : TO-3P Model No. : TO-3P

Client Ref. Info.: SEE REMARK

The above sample(s) and information were provided by the client.

\_\_\_\_\_

#### This report is to supersede test report CANEC2215692511

SGS Job No.: CP22-040651 - GZ

Testing Period : 21 Jul 2022 - 04 Aug 2022

Internal Reference No. : 16006404

Date of Sample Received : 21 Jul 2022

Test Requested: Selected test(s) as requested by the client.

Test Method(s): Please refer to next page(s).

Test Result(s): Please refer to next page(s).

Result Summary:

Test Requested	Conclusion
EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU-Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP)	PASS
EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU- Lead, Mercury, Cadmium and Hexavalent chromium	PASS
Polyvinyl Chloride(PVC)	See Results
Halogen	See Results





No. CANEC2215692514

Date: 10 Jan 2023

Page 2 of 11

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Coral Qiu

Coral Qiu

Approved Signatory







No. CANEC2215692514

Date: 10 Jan 2023

Page 3 of 11

Test Result(s):

#### **Test Part Description:**

Specimen No.	SGS Sample ID	Description
SN1	CAN22-156925.001	Black material
SN2	CAN22-156925.002	Silvery metal pin
SN3	CAN22-156925.003	Silvery metal sheet with copper-colored surface, solder & chip

#### Remarks:

- (1) 1 mg/kg = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected ( < MDL)
- (4) "-" = Not Regulated

EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU- Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP)

Test Method: With reference to IEC 62321-4:2013+A1:2017, IEC 62321-5:2013, IEC 62321-7-2:2017, IEC 62321-6:2015 and IEC 62321-8:2017, analyzed by ICP-OES, UV-Vis and GC-MS.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1000	mg/kg	2	ND
Mercury (Hg)	1000	mg/kg	2	ND
Hexavalent Chromium (CrVI)	1000	mg/kg	8	ND
Sum of PBBs	1000	mg/kg	-	ND
Monobromobiphenyl	-	mg/kg	5	ND
Dibromobiphenyl	-	mg/kg	5	ND
Tribromobiphenyl	-	mg/kg	5	ND
Tetrabromobiphenyl	-	mg/kg	5	ND
Pentabromobiphenyl	-	mg/kg	5	ND
Hexabromobiphenyl	-	mg/kg	5	ND
Heptabromobiphenyl	-	mg/kg	5	ND
Octabromobiphenyl	-	mg/kg	5	ND
Nonabromobiphenyl	-	mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND
Sum of PBDEs	1000	mg/kg	-	ND
Monobromodiphenyl ether	-	mg/kg	5	ND
Dibromodiphenyl ether	-	mg/kg	5	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 中国・广东・广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 www.s t (86–20) 82155555 sgs.ch



Test Report	No. CANEC2215692514		Date: 1	0 Jan 2023	Page 4 of 11
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>	
Tribromodiphenyl ether	-	mg/kg	5	ND	
Tetrabromodiphenyl ether	-	mg/kg	5	ND	
Pentabromodiphenyl ether	-	mg/kg	5	ND	
Hexabromodiphenyl ether	-	mg/kg	5	ND	
Heptabromodiphenyl ether	-	mg/kg	5	ND	
Octabromodiphenyl ether	-	mg/kg	5	ND	
Nonabromodiphenyl ether	-	mg/kg	5	ND	
Decabromodiphenyl ether	-	mg/kg	5	ND	
Dibutyl phthalate (DBP)	1000	mg/kg	50	ND	
Butyl benzyl phthalate (BBP)	1000	mg/kg	50	ND	
Bis (2-ethylhexyl) phthalate (DEHP)	1000	mg/kg	50	ND	
Diisobutyl Phthalates (DIBP)	1000	mg/kg	50	ND	

#### Notes:

- (1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.
- (2) IEC 62321 series is equivalent to EN 62321 series
- (3) The restriction of DEHP, BBP, DBP and DIBP shall apply to medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, from 22 July 2021.

# EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU- Lead, Mercury, Cadmium and Hexavalent chromium

Test Method: With reference to IEC 62321-4:2013+A1:2017, IEC 62321-5:2013, IEC 62321-7-1:2015, analyzed by ICP-OES and UV-Vis.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>002</u>	<u>003</u>
Cadmium (Cd)	100	mg/kg	2	ND	ND
Lead (Pb)	1000	mg/kg	2	11	14230▲
Mercury (Hg)	1000	mg/kg	2	ND	ND
Hexavalent Chromium (Cr(VI))▼	-	µg/cm²	0.10	ND	ND

#### Notes:

- (1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.
- (2) IEC 62321 series is equivalent to EN 62321 series
- (3) ▼= a. The sample is positive for CrVI if the CrVI concentration is greater than 0.13 µg/cm². The sample coating is considered to contain CrVI
  - b. The sample is negative for CrVI if CrVI is ND (concentration less than  $0.10~\mu g/cm^2$ ). The coating is considered a non-CrVI based coating
  - c. The result between 0.10  $\mu$ g/cm² and 0.13  $\mu$ g/cm² is considered to be inconclusive unavoidable coating variations may influence the determination



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions">https://www.sgs.com/en/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 中国・广东・广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 www.sgsgroup.com.cn t (86–20) 82155555 sgs.china@sgs.com



No. CANEC2215692514

Date: 10 Jan 2023

Page 5 of 11

Information on storage conditions and production date of the tested sample is unavailable and thus Cr(VI) results represent status of the sample at the time of testing.

### Polyvinyl Chloride(PVC)

Test Method: SGS In-house method (GZTC CHEM-TOP-194-01), analysis was performed by

Pyrolysis-GC-MS.

Test Item(s)	CAS NO.	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Polyvinyl chloride component	9002-86-2	%(w/w)	0.05	ND

#### Notes:

(1) Polyvinyl chloride component includes its present in copolymer.

#### <u>Halogen</u>

Test Method: With reference to EN 14582:2016, analysis was performed by IC.

Test Item(s)	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Fluorine (F)	mg/kg	50	ND
Chlorine (CI)	mg/kg	50	66
Bromine (Br)	mg/kg	50	ND
lodine (I)	mg/kg	50	ND

Remark 1\*:According to the declaration from the client, Lead (Pb) in specimen 003 is exempted by EU RoHS directive 2011/65/EU based on |ANNEX III 7(a)|: Lead in high melting temperature type solders (i.e. lead-based alloys containing 85 % by weight or more lead).

Remark 2: Results & photo(s) of this report refer to test report CANEC2215692507.

This report updates Client Ref. Info.

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.





No. CANEC2215692514

Date: 10 Jan 2023

Page 6 of 11

#### **REMARK:**

TO-92, TO-220A, TO-92CR, TO-92UR, TO-92-2L, TO-92KR, TO-92KRF, TO-251, TO-251-3L, TO-251L-3L, TO-251S, TO-252, TO-252-3L, TO-252-2L, TO-252-4R, TO-251-4R, TO-220FP-6L, TO-220A-3L, TO-220A-2L, TO-220A-2D-3L, TO-220A-2D-2L, TO-220B, TO-220B-3L, TO-220C, TO-220C-3L, TO-220C-2L, TO-220F, TO-220FA, TO-220FA-3L, TO-220FP, TO-220FP-3L, TO-220FP-2L, TO-247, TO-247-3L, TO-247-4L, TO-247S, TO-247S-3L, TO-247S-2L, TO-247J, ITO-247, ITO-247-3L, TO-3PF-3L, TO-220H-3L, TO-126, TO-202, TO-202-3, TO-262, TO-262-3L, TO-263, TO-263-3L, TO-277B, SOT-89, SOT-89-3L, SOT-89R-2L, SOT-89-2L, SOT-223, SOT-223-3L, SOT-223-2L, SOT-223-2, SOT-82, SOT-23-3L, SOT-23-2L, PDFN5x6-8L, DFN5x6-8L, TO-247J-2L, STOLL7x8-5L, PDFN5x6-8L-D, PDFN3.3x3.3-8L, TOLL9.9x10.38-8L, PDFN5x6-8L, DFN2x2-3L, DFN2x2-6L, DFN2x2-6L-D, DFN3.3x3.3-8L, DFN3.3x3.3-8L ( type B ) , PDFN3.3x3.3-8L-D, DFN8x8-2L, DFN8x8-4L, DFN3.0x3.0-8L-SD, DFN3.0x3.0-8L-SD ( Type B ) , DFN5x6-8L-SS, DFN3.3x3.3-8L-SS, DFN10x15-5L-SS





No. CANEC2215692514


Date: 10 Jan 2023

Page 7 of 11

#### **ATTACHMENTS**

## Pb/Cd/Hg/Cr6+/PBBs/PBDEs Testing Flow Chart

1) These samples were dissolved totally by pre -conditioning method according to below flow chart. (Cr<sup>6+</sup> and PBBs/PBDEs test method excluded).








No. CANEC2215692514

Date: 10 Jan 2023 Page 8 of 11

#### **ATTACHMENTS**

## **Phthalates Testing Flow Chart**








No. CANEC2215692514

Page 9 of 11

Date: 10 Jan 2023

#### **ATTACHMENTS**

# **Halogen Testing Flow Chart**







No. CANEC2215692514

Page 10 of 11

Date: 10 Jan 2023

Sample photo:










No. CANEC2215692514 Date: 10 Jan 2023

Page 11 of 11



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*

